



KING EDWARD VI  
HANDSWORTH GRAMMAR  
SCHOOL FOR BOYS



KING EDWARD VI  
ACADEMY TRUST  
BIRMINGHAM

**2025**      **Year 11**      **2026**  
**Mathematics**  
**Unit 25 Tasks**

**DO NOT WRITE INSIDE**


## Contents

- 1 [Exponential and Trigonometric Graphs](#)
- 2 [Graph Transformations](#)
- 3 [Congruence and Similarity Proofs](#)
- 4 [Circle Theorem Proofs](#)

# 1 Exponential and Trigonometric Graphs

## Purposeful Practice

3. The diagram shows the graphs of  $y = 3^x$ ,  $y = 2^{-x}$ ,  $y = 5^x$  and  $y = \left(\frac{1}{4}\right)^x$ .



Match each graph to its equation.

4. The number of rabbits,  $n$ , in a particular population grows at a rate given by the equation  $n = 5 \times 2^y$  where  $y$  is the number of years.
- How many rabbits were there initially (when  $y = 0$ )?
  - How many rabbits are there after 6 years?
  - How many years will it take for the rabbit population to exceed 5000?

## Purposeful Practice

- (a) Sketch the graph of  $y = 2^x$ , marking the coordinates of any points that cross the axes.
- (b) Sketch the graph of  $y = 0.5^x$ , marking the coordinates of any points that cross the axes.

The exponential growth of a bat population can be described by the equation  $P = 20 \times 1.2^t$ , where  $P$  is the population at time  $t$  in months.










- (a) What is the initial bat population?
- (b) Calculate the population of bats after 6 months.
- (c) What is the percentage increase in the bat population per month?
- (d) Sketch the graph of the bat population over time, marking the coordinates of any points where the graph crosses the axes.

A radioactive element decays according to the equation  $m = 500 \times 0.5^t$  where  $m$  is the mass of the element in kg and  $t$  is the time in days.

- (a) What is the initial mass of the radioactive element?
- (b) What is the mass of the element after 2 days?
- (c) What is the mass of the element after 15 days? Give your answer in grams to 1 decimal place.
- (d) What is the half-life of the element? The half-life is the time it takes to decay to half its original mass.
- (e) Sketch the graph of the mass against time.

# Fluency Practice

## Finding the Equation of Exponential Graphs


| (a)   | (b)   | (c)  |
|---|---|--|
| <p>The curve has equation <math>y = ab^x</math>. Write down the value of <math>a</math>.</p>   | <p>The curve has equation <math>y = ab^{-x}</math>. Write down the value of <math>a</math>.</p>   | <p>The curve has equation <math>y = k^x</math>. Find the value of <math>k</math>.</p>   |
| (d)   | (e)   | (f)  |
| <p>The curve has equation <math>y = ab^{-x}</math>. Find the values of <math>a</math> and <math>b</math>, where <math>b &gt; 0</math></p>  | <p>The curve has equation <math>y = ab^x</math>. Find the values of <math>a</math> and <math>b</math>.</p>                                  | <p>The curve has equation <math>y = ab^{-x}</math>. Find the values of <math>a</math> and <math>b</math>.</p>                               |
| (g)   | (h)   | (i)  |
| <p>The curve has equation <math>y = ab^x</math>. Find the values of <math>a</math> and <math>b</math>.</p>                                | <p>The curve has equation <math>y = ab^{-x}</math>. Find the values of <math>a</math> and <math>b</math>, where <math>b &gt; 0</math></p>  | <p>The curve has equation <math>y = ab^{-x}</math>. Find the values of <math>a</math> and <math>b</math>, where <math>b &gt; 0</math></p>  |

# Fluency Practice

## Plotting Trigonometric Graphs


$$y = \sin x$$

| x   | y | x   | y |
|-----|---|-----|---|
| 0   |   | 210 |   |
| 30  |   | 240 |   |
| 60  |   | 270 |   |
| 90  |   | 300 |   |
| 120 |   | 330 |   |
| 150 |   | 360 |   |
| 180 |   |     |   |




$$y = \cos x$$

| x   | y | x   | y |
|-----|---|-----|---|
| 0   |   | 210 |   |
| 30  |   | 240 |   |
| 60  |   | 270 |   |
| 90  |   | 300 |   |
| 120 |   | 330 |   |
| 150 |   | 360 |   |
| 180 |   |     |   |



$$y = \tan x$$

| x   | y | x   | y |
|-----|---|-----|---|
| 0   |   | 210 |   |
| 30  |   | 240 |   |
| 60  |   | 270 |   |
| 90  |   | 300 |   |
| 120 |   | 330 |   |
| 150 |   | 360 |   |
| 180 |   |     |   |




# Fluency Practice

## Graphing the Sine & Cosine Trigonometric Functions

| Angle, $x$  | $\sin(x)$ |
|-------------|-----------|
| $0^\circ$   |           |
| $10^\circ$  |           |
| $20^\circ$  |           |
| $30^\circ$  |           |
| $40^\circ$  |           |
| $50^\circ$  |           |
| $60^\circ$  |           |
| $70^\circ$  |           |
| $80^\circ$  |           |
| $90^\circ$  |           |
| $100^\circ$ |           |

| Angle, $x$  | $\cos(x)$ |
|-------------|-----------|
| $0^\circ$   |           |
| $10^\circ$  |           |
| $20^\circ$  |           |
| $30^\circ$  |           |
| $40^\circ$  |           |
| $50^\circ$  |           |
| $60^\circ$  |           |
| $70^\circ$  |           |
| $80^\circ$  |           |
| $90^\circ$  |           |
| $100^\circ$ |           |



Sketch & label  
the graphs:

$$y = \sin x$$

&

$$y = \cos x$$


When does  
 $\sin x = \cos x$ ?  
Why?

# Fluency Practice


## Solving Trigonometric Equations Using Graphs

Use your calculator and the trigonometric graphs to find all values of the angle between  $0^\circ$  and  $360^\circ$


$$y = \sin x$$



$$y = \cos x$$



$$y = \tan x$$



$$\sin x = 0.3$$

$$\cos x = 0.9$$

$$\tan x = 3.2$$

$$\cos x = 0.6$$

$$\sin x = 0.8$$

$$\cos x = 0.15$$

$$\tan x = 8$$

$$\sin x = 0.43$$

$$\cos x = 0.37$$

$$\sin x = 0.285$$

$$\tan x = 0$$

$$\cos x = 1$$

$$\sin x = 0.5$$

$$\tan x = 1$$




$$\sin x = 1$$

$$\cos x = 0$$

# Fluency Practice

## More Solving Trigonometric Equations Using Graphs

Use your calculator and the trigonometric graphs to find all values of the angle between  $0^\circ$  and  $360^\circ$

| More Solving Trigonometric Equations Using Graphs  |  |   |                   |
|--|--|---|-------------------|
| Use your calculator and the trigonometric graphs to find all values of the angle between $0^\circ$ and $360^\circ$ |  |   |                   |
| $y = \sin x$   | $y = \cos x$   | $y = \tan x$  |                   |
|                                   |  |  |                   |
| $\sin x = -0.4$  | $\cos x = -0.1$  | $\tan x = -3.7$   | $\cos x = -0.65$  |
| $\sin x = -0.88$   | $\cos x = -0.25$   | $\tan x = -6$   | $\sin x = -0.97$  |
| $\cos x = -0.31$   | $\sin x = -0.745$  | $\tan x = -2.3$   | $\cos x = -0.523$ |
| $\sin x = -0.5$  | $\tan x = -1$  | $\sin x = -1$   | $\cos x = -1$     |
|  |  |   |                   |

## Fluency Practice

**1** Solve the following in the range  $0 \leq x \leq 360$

**a**  $\sin(x) = 0.5 \rightarrow x =$  ?

**b**  $\cos(x) = \frac{\sqrt{3}}{2} \rightarrow x =$  ?

**c**  $\tan(x) = \sqrt{3} \rightarrow x =$  ?

**d**  $\sin(x) = 0.1 \rightarrow x =$  ?

**e**  $4 \cos(x) = 3 \rightarrow$  ?

**f**  $6 \tan(x) = 5 \rightarrow$  ?

**g**  $\sin(x) = 0.4 \rightarrow$  ?

**2** Solve the following in the range  $0 \leq x \leq 360$

**a**  $\sin(\theta) = -0.5 \rightarrow$  ?

**b**  $\cos(\theta) = -0.5 \rightarrow$  ?

**c**  $\tan(\theta) = -1 \rightarrow$  ?

**d**  $\sin(\theta) = -0.4 \rightarrow$  ?

**e**  $\cos(\theta) = -0.7 \rightarrow$  ?

**f**  $\tan(\theta) = -0.2 \rightarrow$  ?

# Fluency Practice


Question 1: (a) Complete the tables below for  $y = \sin(x)$

|   |    |     |     |     |     |      |
|---|----|-----|-----|-----|-----|------|
| x | 0° | 30° | 45° | 60° | 90° | 120° |
| y |    |     |     |     |     |      |

|   |      |      |      |      |      |      |
|---|------|------|------|------|------|------|
| x | 135° | 150° | 180° | 210° | 225° | 240° |
| y |      |      |      |      |      |      |

|   |      |      |      |      |      |
|---|------|------|------|------|------|
| x | 270° | 300° | 315° | 330° | 360° |
| y |      |      |      |      |      |

(b) Plot the points and draw the graph of  $y = \sin(x)$



# Fluency Practice


Question 2: (a) Complete the tables below for  $y = \cos(x)$

|   |    |     |     |     |     |      |
|---|----|-----|-----|-----|-----|------|
| x | 0° | 30° | 45° | 60° | 90° | 120° |
| y |    |     |     |     |     |      |

|   |      |      |      |      |      |      |
|---|------|------|------|------|------|------|
| x | 135° | 150° | 180° | 210° | 225° | 240° |
| y |      |      |      |      |      |      |

|   |      |      |      |      |      |
|---|------|------|------|------|------|
| x | 270° | 300° | 315° | 330° | 360° |
| y |      |      |      |      |      |

(b) Plot the points and draw the graph of  $y = \cos(x)$



# Fluency Practice

Question 3: (a) Complete the tables below for  $y = \tan(x)$

|   |    |    |     |     |     |     |
|---|----|----|-----|-----|-----|-----|
| x | 0° | 1° | 15° | 30° | 45° | 60° |
| y |    |    |     |     |     |     |

|   |     |     |     |     |      |      |
|---|-----|-----|-----|-----|------|------|
| x | 75° | 89° | 90° | 91° | 105° | 120° |
| y |     |     |     |     |      |      |


|   |      |      |      |      |      |      |
|---|------|------|------|------|------|------|
| x | 135° | 150° | 165° | 179° | 180° | 181° |
| y |      |      |      |      |      |      |

|   |      |      |      |      |      |      |
|---|------|------|------|------|------|------|
| x | 195° | 210° | 225° | 240° | 255° | 269° |
| y |      |      |      |      |      |      |

|   |      |      |      |      |      |      |
|---|------|------|------|------|------|------|
| x | 270° | 271° | 285° | 300° | 315° | 330° |
| y |      |      |      |      |      |      |


|   |      |      |
|---|------|------|
| x | 345° | 360° |
| y |      |      |

(b) Plot the points and draw the graph of  $y = \tan(x)$




# Purposeful Practice

Question 4: Sketch the graph of  $y = \cos(x)$  for  $0^\circ \leq x \leq 360^\circ$



Question 5: Sketch the graph of  $y = \sin(x)$  for  $0^\circ \leq x \leq 360^\circ$



Question 6: Sketch the graph of  $y = \tan(x)$  for  $0^\circ \leq x \leq 360^\circ$

Apply


Question 1: Which of these values cannot be the sine of an angle?

0    -0.9     $\frac{2}{3}$     1.2

Question 2: Which of these values cannot be the cosine of an angle?

-1    3    0.7    -0.04


Question 3: Here is part of the curve  $y = \sin(x)$



(a) Write down the coordinates of the point A

(b) Write down the coordinates of the point B

Question 4: Here is part of the curve  $y = \cos(x)$




(a) Write down the coordinates of the point A

(b) Write down the coordinates of the point B


# Purposeful Practice

Question 5: Here are three graphs for  $270^\circ \leq x \leq 360^\circ$


Graph 1



Graph 2



Graph 3



(a) Which graph is  $y = \sin(x)$  ?

(b) Which graph is  $y = \cos(x)$  ?


(c) Which graph is  $y = \tan(x)$  ?

Question 6: Write down the coordinates of the maximum point of  $y = \sin(x)$  for  $180^\circ \leq x \leq 540^\circ$

Question 7: Write down the coordinates of the minimum point of  $y = \sin(x)$  for  $360^\circ \leq x \leq 720^\circ$

Question 8: Write down the coordinates of the minimum point of  $y = \cos(x)$  for  $360^\circ \leq x \leq 720^\circ$

Question 9: Here is a sketch of  $y = \cos(x)$  for  $-360^\circ \leq x \leq 360^\circ$




(a) Write down the coordinates of the point A

(b) Write down the coordinates of the point B

## Purposeful Practice


Question 10: Here is the graph of  $y = \sin(x)$  for  $0^\circ \leq x \leq 360^\circ$



One solution of  $\sin(x^\circ) = -0.5$  is  $x = 210^\circ$

- (a) Find another solution of  $\sin(x^\circ) = -0.5$  for  $0^\circ \leq x \leq 360^\circ$
- (b) Find the solutions of  $\sin(x^\circ) = 0.5$  for  $0^\circ \leq x \leq 360^\circ$

Question 11: Here is a sketch of  $y = \cos(x)$  for  $0^\circ \leq x \leq 360^\circ$




$$\cos(x) = \cos(30^\circ)$$

- (a) Work out the value of  $x$  when  $90^\circ \leq x \leq 360^\circ$
- $$\cos(x) = -\cos(30^\circ)$$
- (b) Find the two values of  $x$  for  $0^\circ \leq x \leq 360^\circ$


## Purposeful Practice

Question 12: Here is the graph of  $y = \sin(x)$  for  $0 \leq x \leq 360$



One solution of  $\sin x = -0.5$  is  $x = 330^\circ$   
Find another solution of  $\sin x = -0.5$

Question 13: Here is the graph of  $y = \cos(x)$




(a) Use the graph to solve  $\cos(x) = 0.75$

(b) Use the graph to solve  $\cos(x) = -0.75$

# Fluency Practice


## trigonometric graphs

The unit circle is centered on the origin and has a radius of 1.




1. Work out  $a$  and  $b$  in terms of  $\theta$ .

2. Sketch the graph of  $y = \sin(x)$  for  $0 \leq x \leq 360^\circ$ .




3. Sketch the graph of  $y = \cos(x)$  for  $0 \leq x \leq 360^\circ$ .



# Fluency Practice

the sine graph



1. Solve for  $0 \leq x \leq 360^\circ$ . Give your answers to 1 decimal place.

  - a)  $\sin(x) = 0.7$
  - b)  $\sin(x) = 0.4$
  - c)  $\sin(x) = -0.3$
  - d)  $\sin(x) = -0.8$
2. Solve for  $0 \leq x \leq 360^\circ$ . Give your answers to 1 decimal place where necessary.

  - a)  $\sin(x) = 0.55$
  - b)  $\sin(x) = -0.9$
  - c)  $\sin(x) = -0.5$
  - d)  $\sin(x) = 1$
  - e)  $\sin(x) = \frac{\sqrt{3}}{2}$
  - f)  $\sin(x) = 0$
  - g)  $2\sin(x) = 1$
  - h)  $\sin(x) = 0.95$
  - i)  $\sin(x) = -\frac{1}{3}$
3. a) Given  $\sin(40^\circ) = 0.643$ , complete:  $\sin(140^\circ) = \underline{\hspace{2cm}}$


b) Given  $\sin(25^\circ) = 0.423$ , complete:  $\sin(205^\circ) = \underline{\hspace{2cm}}$

c) Given  $\sin(165^\circ) = 0.259$ , complete:  $\sin(15^\circ) = \underline{\hspace{2cm}}$

d) Given  $\sin(315^\circ) = -0.707$ , complete:  $\sin(45^\circ) = \underline{\hspace{2cm}}$

# Fluency Practice

the cosine graph



1. Solve for  $0 \leq x \leq 360^\circ$ . Give your answers to 1 decimal place.

- a)  $\cos(x) = 0.75$
- b)  $\cos(x) = 0.2$
- c)  $\cos(x) = -0.6$
- d)  $\cos(x) = -0.35$

2. Solve for  $0 \leq x \leq 360^\circ$ . Give your answers to 1 decimal place where necessary.

- a)  $\cos(x) = 0.45$
- b)  $\cos(x) = -0.08$
- c)  $\cos(x) = 0.6$
- d)  $\cos(x) = -1$
- e)  $\cos(x) = \frac{1}{2}$
- f)  $\cos(x) = 0$
- g)  $4\cos(x) = 1$
- h)  $\cos(x) = -0.65$
- i)  $\cos(x) = \frac{7}{8}$

3. a) Given  $\cos(25^\circ) = 0.906$ , complete:  $\cos(335^\circ) = \underline{\hspace{2cm}}$



b) Given  $\cos(80^\circ) = 0.174$ , complete:  $\cos(100^\circ) = \underline{\hspace{2cm}}$

c) Given  $\cos(160^\circ) = -0.940$ , complete:  $\cos(20^\circ) = \underline{\hspace{2cm}}$

d) Given  $\cos(235^\circ) = -0.574$ , complete:  $\cos(125^\circ) = \underline{\hspace{2cm}}$

# Fluency Practice


## Trigonometry: Angles Between $-360^\circ$ and $360^\circ$

Input the values into your calculator to find coordinates and sketch these graphs.



- 1)  $\sin 0^\circ =$
- 2)  $\sin 90^\circ =$
- 3)  $\sin 180^\circ =$
- 4)  $\sin 270^\circ =$
- 5)  $\sin 360^\circ =$


$y = \sin x$




- 6) Use your own values to sketch the graph for  $-360^\circ \leq x \leq 0^\circ$

- 1)  $\cos 0^\circ =$
- 2)  $\cos 90^\circ =$
- 3)  $\cos 180^\circ =$
- 4)  $\cos 270^\circ =$
- 5)  $\cos 360^\circ =$

$y = \cos x$



- 6) Use your own values to sketch the graph for  $-360^\circ \leq x \leq 0^\circ$



Using the graphs, and **without** using a calculator, answer these questions.

A)  $\sin 30^\circ = 0.5$

For what 3 other values of  $x$ , between  $-360^\circ$  and  $360^\circ$ , does  $y = 0.5$ ?  
(Sketch  $y = 0.5$  on your graph. Find where it crosses the sin curve.)

1) \_\_\_\_\_ 2) \_\_\_\_\_ 3) \_\_\_\_\_

B)  $\sin -20^\circ = -0.34$

For what 3 other values of  $x$ , between  $-360^\circ$  and  $360^\circ$ , does  $y = -0.34$ ?

1) \_\_\_\_\_ 2) \_\_\_\_\_ 3) \_\_\_\_\_

3) Use the cosine graph to complete this table.

|             |                   |                   |                  |
|-------------|-------------------|-------------------|------------------|
| $y = 0.5$   |                   | $\cos 60^\circ$   |                  |
| $y = 0.77$  |                   |                   | $\cos 320^\circ$ |
| $y = -0.94$ |                   | $\cos -160^\circ$ |                  |
| $y = -0.09$ | $\cos -265^\circ$ |                   |                  |

# Fluency Practice

In each box, cross off pairs that are **equal in value**. Angles are in degrees.  
Circle the value that is left over.

**A**

|           |                      |                      |
|-----------|----------------------|----------------------|
| $\sin 90$ | $\frac{1}{\sqrt{3}}$ | $\sin 30$            |
| $\tan 30$ | $\frac{1}{2}$        | $\frac{\sqrt{2}}{2}$ |
| 1         | $\cos 45$            | 0                    |

**B**

|            |                      |            |
|------------|----------------------|------------|
| $\sqrt{3}$ | $\tan 60$            | 1          |
| $\cos 0$   | $\sin 60$            | 0.5        |
| 0          | $\frac{\sqrt{3}}{2}$ | $\tan 180$ |

**C**

|                      |               |           |
|----------------------|---------------|-----------|
| $\frac{1}{\sqrt{2}}$ | $\tan 45$     | $\sin 60$ |
| $\cos 60$            | $\frac{1}{2}$ | 1         |
| $\cos 30$            | $\sin 45$     | $\tan 90$ |

**D**

|            |           |            |
|------------|-----------|------------|
| $\sin 50$  | $\sin 40$ | $\sin 100$ |
| $\sin 150$ | $\sin 60$ | $\sin 130$ |
| $\sin 140$ | $\sin 80$ | $\sin 30$  |

**E**

|            |            |            |
|------------|------------|------------|
| $\cos 50$  | $\cos 260$ | $\cos 10$  |
| $\cos 250$ | $\cos 110$ | $\cos 130$ |
| $\cos 310$ | $\cos 100$ | $\cos 350$ |

**F**

|            |            |            |
|------------|------------|------------|
| $\tan 15$  | $\tan 275$ | $\tan 165$ |
| $\tan 105$ | $\tan 195$ | $\tan 135$ |
| $\tan 315$ | $\tan 95$  | $\tan 285$ |

**G**

|            |                       |                |
|------------|-----------------------|----------------|
| $\sin 150$ | 1                     | $-\frac{1}{2}$ |
| $\cos 240$ | -1                    | $\frac{1}{2}$  |
| $\cos 180$ | $-\frac{\sqrt{3}}{2}$ | $\tan 225$     |

**H**

|                |                       |                      |
|----------------|-----------------------|----------------------|
| $-\frac{1}{2}$ | $\frac{1}{2}$         | $\sin 210$           |
| $\sin 60$      | $-\frac{\sqrt{3}}{2}$ | $\tan 135$           |
| -1             | $\cos 210$            | $\frac{\sqrt{3}}{2}$ |

**I**

|                      |                       |            |
|----------------------|-----------------------|------------|
| $\sin 90$            | $-\frac{\sqrt{3}}{2}$ | $\sin 45$  |
| $\frac{\sqrt{3}}{2}$ | $\tan 45$             | $\cos 120$ |
| $\cos 45$            | $-\frac{1}{2}$        | $\sin 300$ |

**J**

|                       |             |               |
|-----------------------|-------------|---------------|
| $-\frac{\sqrt{3}}{2}$ | $\cos(-45)$ | $\frac{1}{2}$ |
| $\cos 135$            | $\cos 45$   | $\cos(-40)$   |
| $\cos 210$            | $\cos 40$   | $\cos(-60)$   |

**K**

|                       |             |             |
|-----------------------|-------------|-------------|
| $\sin(-30)$           | $\sin 270$  | $-\sin 45$  |
| $-\frac{\sqrt{3}}{2}$ | $\sin(-60)$ | $\sin 30$   |
| $\sin(-45)$           | $\sin 150$  | $\sin(-90)$ |

**L**

|             |              |             |
|-------------|--------------|-------------|
| $\tan(-45)$ | $-\tan(-75)$ | $\tan 45$   |
| $\tan(-15)$ | $\tan 330$   | $\tan(-30)$ |
| $\tan 75$   | $-\tan 15$   | $\tan 135$  |

## Purposeful Practice

Explain how we can know if these are true or false.

Use the circle and your graphs to help you decide.

1.  $\cos \emptyset = \cos(360 - \emptyset)$

2.  $\sin \emptyset = \sin(360 - \emptyset)$

3.  $\tan \emptyset = \tan(360 - \emptyset)$

4.  $\cos \emptyset = \cos(180 - \emptyset)$

5.  $\sin \emptyset = \sin(180 - \emptyset)$

6.  $\tan \emptyset = \tan(180 - \emptyset)$

7.  $\cos \emptyset = \cos(180 + \emptyset)$

8.  $\sin \emptyset = \sin(180 + \emptyset)$

9.  $\tan \emptyset = \tan(180 + \emptyset)$

10.  $\cos \emptyset = \cos(-\emptyset)$

11.  $\sin \emptyset = \sin(-\emptyset)$

12.  $\tan \emptyset = \tan(-\emptyset)$

13.  $\cos \emptyset = -\cos(-\emptyset)$

14.  $\sin \emptyset = -\sin(-\emptyset)$

15.  $\tan \emptyset = -\tan(-\emptyset)$

16.  $\sin(\emptyset + 90) = \cos(\emptyset)$


17.  $\sin(\emptyset - 90) = \cos(\emptyset)$


18.  $\sin(90 - \emptyset) = \cos(\emptyset)$

# Purposeful Practice

## Symmetry in Trigonometric Graphs

### NON-CALCULATOR TRIGONOMETRY



















- The graph shows part of the function  $y = \sin x$ . Decide whether each statement is true or false, explaining your thinking by referring to the graph.
  - $\sin(450^\circ) = 1$
  - $\sin(900^\circ) = 2$
  - $\sin(280^\circ) > \sin(80^\circ)$
  - $\sin(20^\circ) = \sin(160^\circ)$
  - $\sin(45^\circ) = -\sin(315^\circ)$
  - $\sin(-10) < \sin(190)$
- Sketch the graph of  $y = \cos x$  for  $0 \leq x \leq 360$ .
  - Use the graph to help you list these values in order, starting with the smallest:  
 $\cos(75^\circ)$     $\cos(90^\circ)$     $\cos(180^\circ)$     $\cos(330^\circ)$
- Given that  $\sin(30^\circ) = \frac{1}{2}$  and  $\cos(30^\circ) = \frac{\sqrt{3}}{2}$ , state the exact values of
  - $\sin(150^\circ)$
  - $\sin(330^\circ)$
  - $\cos(390^\circ)$
  - $\sin(-90^\circ)$
  - $\cos(210^\circ)$
  - $\cos(-210^\circ)$
- Which of these expressions can be used to calculate the height  $h$  cm of this triangle?
    - $5 \sin(70^\circ)$
    - $\sqrt{5^2 + 4^2}$
    - $5 \sin(110^\circ)$
    - $5 \cos(20^\circ)$
    - $4 \tan(35^\circ)$
  - Hence or otherwise find the area of the triangle given that  $\sin(70^\circ)$  to two decimal places is 0.94.
- Given that the hypotenuse of this right-angled triangle is 15 centimetres and  $\cos(143^\circ) = -0.80$  (to two significant figures), find the lengths of the other two sides.
 

# Fluency Practice

## recognising graphs


Match these graphs to their equations at the bottom.



|               |             |                    |                       |                  |
|---------------|-------------|--------------------|-----------------------|------------------|
| $y = 3x + 2$  | $y = x^3$   | $y = 3 - 2x$       | $y = (x-2)(x-1)(x+3)$ |                  |
| $y = x^2$     | $y = 0.5^x$ | $y = 5 - x^2$      | $y = (x-5)(x-3)(x-1)$ |                  |
| $y = \cos(x)$ | $y = -x^3$  | $y = \frac{-1}{x}$ | $y = \frac{1}{x}$     | $y = 2x - 3$     |
| $y = \sin(x)$ | $y = 2^x$   |                    |                       | $x^2 + y^2 = 16$ |


# Fluency Practice

1. Type:




Equation forms:

2. Type:




Equation forms:

3. Type:



Equation forms:


4. Type:



Equation forms:


# Fluency Practice

5. Type:




Equation forms:

6. Type:




Equation forms:

7. Type:



8. Match the graphs with the equations.




|   |                        |
|---|------------------------|
| P | $y = x^2(x-3)$         |
| Q | $y = (x-3)(1-x)$       |
| R | $x^2 + y^2 = 49$       |
| S | $y = \frac{5}{x}$      |
| T | $y = 3 - \frac{1}{2}x$ |
| U | $y = 3^x$              |

# Fluency Practice



## Non-Linear Graph Matchup

Match each graph to its equation.


Complete the missing coordinates on each graph.



$$y = x^2 + 3x$$




$$y = x^2 - x - 4$$




$$y = \frac{5}{x}$$


$$y = \cos x$$




$$y = 2x$$



$$y = x^3 + 2x$$




$$y = \sin x$$




$$y = x^2 - 4$$

$$y = x^3 + 2$$




$$y = \frac{12}{x^2}$$



# Purposeful Practice

## 1. Factual Recall

a. Label the triangle below Opposite (O), Adjacent (A), and Hypotenuse (H) with respect to the angle  $\theta$



b. Complete the three trigonometric ratios below:


$$\sin \theta = \frac{\textit{opposite}}{\textit{h}}$$

$$\cos \theta = \frac{a}{\quad}$$


$$\quad \theta = \frac{\textit{opposite}}{\textit{adjacent}}$$

## 2. Carry out a routine procedure


a. Find the missing side length in this triangle



b. Find the missing angle in this triangle




## 3. Classify a mathematical object




By calculation or otherwise, what type of triangle is this (other than a right angled triangle!) ?

## 4. Interpret a situation or answer




A ladder is placed 0.9m away from the base of a wall. The ladder reaches the top of the 3.2m tall wall. The angle the ladder makes with the ground needs to be  $75^\circ$  or more to be safe. Is this ladder safe?

## 5. Prove, Show, or Justify



These two triangles are **congruent**. Explain why we are able to make this claim.

## 6. Extend a concept




This is the graph of  $y = \sin x$ . If you type  $\sin(180)$  into your calculator, you will get a result of 0. Using the graph, can you identify what other values you can put in to  $\sin \theta$  to get a result of 0?

## 7. Construct a scenario

A helicopter leaves the heli-port from the point **H**, and flies 80 miles due East. It then flies 20 miles due North to reach its destination, **D**. Construct a diagram for this situation, and find the **bearing** of **D** from **H**.

## 8. Criticise a fallacy



Jamie wants to use SOHCAHTOA to find the missing side length in this triangle. Why can't they?

## 2 Graph Transformations

## Fluency Practice

What effect will the following transformations have on these points?











|   | $y = f(x)$     | $(4, 3)$ | $(1, 0)$ | $(6, -4)$ |
|---|----------------|----------|----------|-----------|
| a | $y = f(x + 1)$ | ?        | ?        | ?         |
| b | $y = f(x) - 1$ | ?        | ?        | ?         |
| c | $y = f(-x)$    | ?        | ?        | ?         |
| d | $y = -f(x)$    | ?        | ?        | ?         |

# Fluency Practice

## TRIG transformations

1

Match the graphs to their equations below.



$y = -\cos(x)$

$y = -\tan(x)$

$y = -\sin(x)$

$y = \sin(x) - 3$

$y = \tan(x - 90)$

$y = \cos(x)$

$y = \tan(x)$

$y = \tan(x) + 2$

$y = \cos(x) - 2$

$y = \sin(x)$

$y = \sin(x) + 2$













$y = \cos(x) + 1$

# Fluency Practice

## trIG transformations

2

Match the graphs to their equations below.



$y = \sin(-x) - 3$

$y = \sin(x - 45)$

$y = \cos(x - 90) + 1$

$y = \sin(x)$

$y = -\sin(x) + 1$

$y = \cos(x) + 1$

$y = \sin(x) - 2$

$y = \cos(x + 180)$

$y = \cos(-x) - 1$


$y = \cos(x)$

$y = \cos(x) - 3$


$y = \sin(x + 180)$

# Fluency Practice


A) Sketch:  $y = \cos(x) + 1$




C) Sketch:  $y = \cos(x - 90)$




F) Sketch:  $y = -\cos(x)$




I) Sketch:  $y = \cos(x - 30) + 1$




B) Sketch:  $y = \sin(x) - 1$




D) Sketch:  $y = \sin(x + 90)$



G) Sketch:  $y = \sin(-x)$




J) Sketch:  $y = -\sin(x + 180)$




## Transforming sin & cos Graphs

|  |  |
|--|--|
| $y = f(x) + a$<br>$= \begin{pmatrix} 0 \\ a \end{pmatrix}$ | $y = f(x - a)$<br>$= \begin{pmatrix} a \\ 0 \end{pmatrix}$ |
| $y = -f(x)$<br>Reflection in<br>$x$ axis.                  | $y = f(-x)$<br>Reflection in<br>$y$ axis.                  |


E) Sketch:  $y = \sin(x - 30)$



H) Sketch:  $y = -\sin(-x)$




K) Sketch:  $y = \sin(-x + 30) - 1$



# Fluency Practice

- ① The graph  $y = x^2$  has been plotted.  
We will **transform** it by adding 2 to the function **output**.  
Complete the table of values & plot the graph.




## Transforming Graphs

$f(x) = x^2$

| $x$ | $f(x)$ | $f(x) + 2$ |
|-----|--------|------------|
| 3   | 9      | 11         |
| 2   | 4      | 6          |
| 1   | 1      |            |
| 0   | 0      |            |
| -1  | 1      |            |
| -2  | 4      |            |
| -3  | 9      |            |

Describe how the original graph has moved (transformed).

- ② We will **transform** this graph by adding 2 to the function **input**.  
Complete the table of values & plot the graph.




$f(x) = x^2 - 1$

| $x$ | $f(x)$ | $x + 2$ | $f(x + 2)$ |
|-----|--------|---------|------------|
| 3   | 8      | 5       | 24         |
| 2   | 3      | 4       | 15         |
| 1   | 0      | 3       | 8          |
| 0   | -1     | 2       |            |
| -1  | 0      |         |            |
| -2  | 3      |         |            |
| -3  | 8      |         |            |
| -4  | 15     |         |            |
| -5  | 24     |         |            |

Describe how the original graph has been transformed.

- ③ We will **transform** this graph by taking the negation of the **output**.




change  
+ to -, or - to +

$f(x) = x^2 + 1$

| $x$ | $f(x)$ | $-f(x)$ |
|-----|--------|---------|
| 3   | 10     | -10     |
| 2   | 5      |         |
| 1   | 2      |         |
| 0   | 1      |         |
| -1  | 2      |         |
| -2  | 5      |         |
| -3  | 10     |         |

Describe how the original graph has been transformed.

- ④  $y = x^3$



We will **transform** this graph by taking the negation of the **input**.

$f(x) = x^3$


| $x$ | $f(x)$ | $-x$ | $f(-x)$ |
|-----|--------|------|---------|
| 3   | 27     | -3   |         |
| 2   | 8      |      |         |
| 1   | 1      |      |         |
| 0   | 0      |      |         |
| -1  | -1     |      |         |
| -2  | -8     |      |         |
| -3  | -27    |      |         |

Describe how the original graph has been transformed.


# Fluency Practice

## transformations


On each grid,  $y = f(x)$  is drawn.  
Sketch the graph of the transformation indicated.




$$y = f(x) + 5$$




$$y = -f(x)$$




$$y = f(x + 3)$$




$$y = f(-x)$$




$$y = f(x-3)$$




$$y = f(x+3)$$



$$y = f(x - 3) - 4$$



$$y = f(x - 3) + 4$$




$$y = -f(x - 5)$$

# Fluency Practice

## transformed functions

The minimum and maximum points of  $y = f(x)$  are shown. Work out the maximum and minimum points after each of the transformations below.



$y = f(x)$

$y = f(-x)$

Max: \_\_\_\_\_

Min: \_\_\_\_\_

$y = f(x - 2)$

Max: \_\_\_\_\_

Min: \_\_\_\_\_

$y = f(x) + 2$

Max: \_\_\_\_\_

Min: \_\_\_\_\_


$y = -f(x)$

Max: \_\_\_\_\_

Min: \_\_\_\_\_

The boxes contain the minimum and maximum points of a transformation of  $y = f(x)$ . Work out the equation of each of these transformations.

|               |               |
|---------------|---------------|
| .....         | .....         |
| Max: (3, 18)  | Max: (2, 23)  |
| Min: (-5, -8) | Min: (-6, -3) |
| .....         | .....         |
| Max: (5, 18)  | Max: (-1, 18) |
| Min: (-3, -8) | Min: (-9, -8) |




$y = f(x)$

## Fluency Practice

| Q  | A (3, 4) is a point on $y = f(x)$ .<br>Work out the new coordinates of A | Answers | Q  | A (-5, 2) is a point on $y = f(x)$ .<br>Work out the new coordinates of A | Answers |
|----|--|---------|----|---|---------|
| 1  | $y = f(x) + 1$   |         | 13 | $y = f(x) + 3$  |         |
| 2  | $y = f(x) - 1$   |         | 14 | $y = f(x) - 3$  |         |
| 3  | $y = f(x + 1)$   |         | 15 | $y = f(x + 3)$  |         |
| 4  | $y = f(x - 1)$   |         | 16 | $y = f(x - 3)$  |         |
| 5  | $y = -f(x)$  |         | 17 | $y = -f(x)$   |         |
| 6  | $y = f(-x)$  |         | 18 | $y = f(-x)$   |         |
| 7  | $y = f(x + 2) - 5$   |         | 19 | $y = f(x + 4) - 1$  |         |
| 8  | $y = f(x - 2) + 5$   |         | 20 | $y = f(x - 1) + 4$  |         |
| 9  | $y = -f(x - 5) + 2$  |         | 21 | $y = -f(x - 4) + 1$   |         |
| 10 | $y = -f(x + 5) - 2$  |         | 22 | $y = -f(x + 1) - 4$   |         |
| 11 | $y = -f(-x) - 7$   |         | 23 | $y = -f(-x) - 7$  |         |
| 12 | $y = f(x + a) + b$   |         | 24 | $y = f(x - a) - b$  |         |

# Purposeful Practice


## Question 1



The diagram shows part of the curve with equation  $y = f(x)$ . The minimum point of the curve is at  $(2, -1)$

Write down the coordinates of the minimum point of the curve with equation  $y = f(x + 2)$

## Question 7



The diagram shows part of the curve with equation  $y = f(x)$ . The coordinates of the maximum point of the curve are  $(3, 5)$ . The curve with equation  $y = f(x)$  is transformed to give the curve with equation

$$y = f(x) - 4$$

Describe the transformation.


## Question 4

The curve with equation  $y = f(x)$  has a maximum point at  $(2, -7)$ .

Find the coordinates of the minimum point of the curve with equation  $y = -f(x)$

## Question 6


The graph of  $y = f(x)$  is shown on the grid.



The graph of  $y = f(x)$  has a turning point at the point  $(-1, 1)$ . Write down the coordinates of the turning point of the graph of  $y = f(-x) + 2$

## Question 8

The graph of  $y = g(x)$  is shown on the grid.




Graph B is a translation of the graph of  $y = f(x)$ .

Write down the equation of graph B.

# Purposeful Practice

## Question 9

The graph of  $y = f(x)$  is shown on the grid.




Graph A is a reflection of the graph of  $y = f(x)$ .

Write down the equation of graph A.

## Question 12


Here is the graph of  $y = f(x)$

On the grid, draw the graph of  $y = f(-x)$



## Question 10

This is a sketch of the curve with equation  $y = f(x)$ . It passes through the origin  $O$ .



The only vertex of the curve is at  $A(2, -4)$ .

The curve with equation  $y = x^2$  has been translated to give the curve  $y = f(x)$ .

Find  $f(x)$  in terms of  $x$ .


## Question 13

The coordinates of the turning point of the graph of  $y = x^2 - 8x + 25$  is  $(4, 9)$ .

Hence describe the single transformation which maps the graph of  $y = x^2$  onto the graph of  $y = x^2 - 8x + 25$ .

## Fluency Practice


The graph shows the function  $g(x)$



| Transformation  | Point A is now at<br>_____ |
|-----------------|----------------------------|
| $g(x - 7)$      |                            |
|                 | $(-11, 17)$                |
| $g(x) + 7$      |                            |
| $-g(x)$         |                            |
|                 | $(4, -17)$                 |
| $g(-x) + 7$     |                            |
| $g(-x) - 3$     |                            |
|                 | $(2, 16)$                  |
| $-g(4 - x) + 2$ |                            |

## Purposeful Practice

The graph shows the function,  $f(x)$



1) Find length AC

2) Find the angle AB makes with the y-axis

3) Find the midpoint of BC

4) Sketch the following functions and write down the coordinates of A, B and C after the transformation:

a)  $y = f(x) - 5$

b)  $y = f(x - 5)$

c)  $y = -f(x) + 5$

d)  $y = f(x + 5)$

e)  $y = f(5 - x)$


f)  $y = -f(x + 2) - 1$

g)  $y = -(f(x + 2) - 1)$

5) Find the area between  $f(x)$  and the line  $y = \frac{3}{5}x - 2$

6) Line segment BD is perpendicular to AB and intersects  $f(x)$ . Find the length of BD.

## Fluency Practice



Sketch each translated graph:

$$y - 4 = f(x)$$

$$y = f(x - 3) - 2$$

$$y = f(x - 4)$$

$$y = f(3 + x) + 2$$

$$y + 4 = f(x - 4)$$

$$y + 3 = f(x) + 4$$

## Fluency Practice

Match each vector representation with its equivalent translation in function notation.

### Transformations in function notation

### Vectors

$$y - 3 = f(x + 2)$$

$$y = f(x + 3) + 3$$

$$y = f(x - 3) + 2$$

$$y - 2 = f(x) - 3$$

$$y + 2 = f(x - 3)$$

$$1 + y = f(2 + x)$$

$$y = f(1 + x) + 2$$

$$y + 2 = f(x - 3)$$

$$y - 2 = f(3 + x)$$

$$y = 1 + f(x)$$

$$y + 3 = f(x - 2) + 3$$

$$y = f(x - 2) + 3$$

$$y = f(x) + 2$$

$$y + 2 = f(1 + x) + 2$$

$$y = f(1 + x - 2)$$

$$y = f(x - 2) - 3$$

$$\begin{pmatrix} -2 \\ 3 \end{pmatrix}$$

$$\begin{pmatrix} 1 \\ 0 \end{pmatrix}$$

$$\begin{pmatrix} -3 \\ 2 \end{pmatrix}$$

$$\begin{pmatrix} 3 \\ -2 \end{pmatrix}$$

$$\begin{pmatrix} -2 \\ -1 \end{pmatrix}$$

$$\begin{pmatrix} -1 \\ 0 \end{pmatrix}$$

$$\begin{pmatrix} 3 \\ 2 \end{pmatrix}$$

$$\begin{pmatrix} 0 \\ 2 \end{pmatrix}$$

$$\begin{pmatrix} 2 \\ 0 \end{pmatrix}$$

$$\begin{pmatrix} -3 \\ 3 \end{pmatrix}$$

$$\begin{pmatrix} 3 \\ -2 \end{pmatrix}$$

$$\begin{pmatrix} 2 \\ 3 \end{pmatrix}$$

$$\begin{pmatrix} 0 \\ -1 \end{pmatrix}$$

$$\begin{pmatrix} 0 \\ 1 \end{pmatrix}$$

$$\begin{pmatrix} -1 \\ 2 \end{pmatrix}$$

$$\begin{pmatrix} 2 \\ -3 \end{pmatrix}$$

## 3 Congruence and Similarity Proofs

# Fluency Practice

## Conditions for Congruent Triangles

1. **SSS** (side, side, side)  
All three corresponding sides are equal in length.
2. **SAS** (side, angle, side)  
A pair of corresponding sides and the included angle are equal.
3. **ASA** (angle, side, angle)  
A pair of corresponding angles and the included side are equal.
4. **AAS** (angle, angle, corresponding side)  
A pair of corresponding angles and a non-included side are equal (the non-included side must be opposite one of the equal angles).
5. **RHS** (Right-angled triangle, hypotenuse, side)  
Two right-angled triangles are congruent if the hypotenuse and one side are equal.





## NOTES:

1. **AAA** does not work.

If all the corresponding angles of a triangle are the same, the triangles will be the same shape, but not necessarily the same size. **The triangles are said to be similar.**

2. **SSA** also does not work.



Given two sides and a non-included angle, it is possible to draw two different triangles that satisfy the values. It is therefore not sufficient to prove congruence.




Diagrams not drawn to scale

# Fluency Practice


Question 1: For each pair of shapes, state whether they are congruent or not congruent



Question 2: Write down the shape that is not congruent to the others



Question 3: Which pairs of shapes on the grid are congruent?



# Purposeful Practice


## Apply

Question 1: Can Barry be correct?  
Explain your answer.

Alan: I have drawn a circle with a diameter of 4cm

Barry: I have drawn a circle. It is congruent to your circle but has a different diameter

Question 2: Triangles ABC and DEF are congruent.



- (a) Write down the length of DF
- (b) Write down the length of AC
- (c) Write down the length of DE

Question 3: Triangles A and B are congruent.  
Tick the correct boxes.


|      |                          |       |                          |       |                          |
|------|--------------------------|-------|--------------------------|-------|--------------------------|
| True | <input type="checkbox"/> | False | <input type="checkbox"/> | Maybe | <input type="checkbox"/> |
|      | <input type="checkbox"/> |       | <input type="checkbox"/> |       | <input type="checkbox"/> |
|      | <input type="checkbox"/> |       | <input type="checkbox"/> |       | <input type="checkbox"/> |

If Triangle A is isosceles, Triangle B has to be isosceles.

Triangles A and B have different size angles

Triangle A has a larger area than Triangle B




Question 4: A regular hexagon is drawn below.  
Draw at least 8 more congruent hexagons  
to show the hexagon tessellates.








# Fluency Practice

Exactly the same size and shape. All lengths and angles are the same.

For each of these pairs of triangles decide if they are Congruent, not congruent or there is not enough information

|  |   |
|--|---|
|    | <p>Congruent</p> <p>Not congruent</p> <p>Not enough information</p> |
|   | <p>Congruent</p> <p>Not congruent</p> <p>Not enough information</p> |
|  | <p>Congruent</p> <p>Not congruent</p> <p>Not enough information</p> |

# Fluency Practice

|                               |  |
|-------------------------------|--|
| <p>Congruent</p>              |    |
| <p>Not congruent</p>          |  |
| <p>Not enough information</p> |  |
| <p>Congruent</p>              |  |
| <p>Not congruent</p>          |    |
| <p>Not enough information</p> |  |
| <p>Congruent</p>              |  |
| <p>Not congruent</p>          |  |
| <p>Not enough information</p> |  |
| <p>Congruent</p>              |  |
| <p>Not congruent</p>          |  |
| <p>Not enough information</p> |  |
| <p>Congruent</p>              |  |
| <p>Not congruent</p>          |  |
| <p>Not enough information</p> |  |

# Fluency Practice











## congruent triangles

**Are each pair of triangles congruent?**

For each pair, decide whether...

- they are congruent, giving a reason (SSS, ...)
- they are not congruent
- there is not enough information to decide











Diagrams are not drawn accurately



# Fluency Practice




congruent triangles




Diagrams are not drawn accurately






# Fluency Practice


**Question 1:** The following pairs of triangles are congruent, state the condition that shows they are congruent.

(a)  (b)  (c) 

(d)  (e)  (f) 

(g)  (h)  (i) 

**Question 2:** Shown are six triangles. Which triangles are congruent?



# Purposeful Practice

Question 3: In triangle ABC,  $AB = 7\text{cm}$ ,  $\angle BAC = 50^\circ$  and  $\angle ABC = 35^\circ$   
In triangle DEF,  $EF = 7\text{cm}$ ,  $\angle DEF = 35^\circ$  and  $\angle DFE = 50^\circ$   
Are triangles ABC and DEF congruent? If they are, state the condition.

Question 4: In triangle GHI,  $GH = 7\text{cm}$ ,  $HI = 4\text{cm}$  and  $GI = 5\text{cm}$ .  
In triangle JKL,  $JK = 7\text{cm}$ ,  $KL = 4.5\text{cm}$  and  $JL = 5\text{cm}$ .  
Are triangles GHI and JKL congruent? If they are, state the condition.

Question 5: In triangle MNO,  $\angle MNO = 50^\circ$ ,  $\angle NOM = 60^\circ$  and  $\angle OMN = 70^\circ$   
In triangle PQR,  $\angle PQR = 50^\circ$ ,  $\angle QRP = 60^\circ$  and  $\angle RPQ = 70^\circ$   
Are triangles MNO and PQR congruent? If they are, state the condition.

Question 6: In triangle STU,  $SU = 13\text{cm}$ ,  $\angle TSU = 20^\circ$  and  $\angle TUS = 30^\circ$   
In triangle VWX,  $WX = 13\text{cm}$ ,  $\angle WXV = 30^\circ$  and  $\angle XVW = 20^\circ$   
Are triangles STU and VWX congruent? If they are, state the condition.

## Apply

Question 1: Hannah and Chris each draw a triangle with one side of  $3\text{cm}$ , one angle of  $35^\circ$  and one angle of  $80^\circ$ .

Hannah says their triangles **must** be congruent.  
Is Hannah correct?


Question 2: Paul and Greg each draw a triangle with one side of  $3\text{cm}$ , one side of  $9\text{cm}$  and one side of  $10\text{cm}$ .

Greg says their triangles **must** be congruent.  
Is Greg correct?

Question 3: Carl and Michael each draw a triangle with one angle of  $58^\circ$ , one angle of  $68^\circ$  and one angle of  $54^\circ$ .


Carl says their triangles **must** be congruent.  
Is Carl correct?

Question 4: ABCD is a parallelogram.  
Prove that triangles ABD and BCD are congruent.




Question 5: In the diagram, the lines CE and DF intersect at G.  
CD and FE are parallel and  $CD = FE$ .

Prove that triangles CDG and EFG are congruent.




# Purposeful Practice

- 1) The diagram shows **trapezium**  $ABCD$ .  
 $E$  is the **midpoint** of  $AD$ .  
 $BCE$  is an **equilateral** triangle.




Prove that the triangle  $ABE$  is congruent to triangle  $DCE$

- 2) The diagram shows a triangle  $ABC$ .  
 $LMNB$  is a **parallelogram** where  
 $L$  is the **midpoint** of  $AB$ ,  
 $M$  is the **midpoint** of  $AC$ ,  
and  $N$  is the **midpoint** of  $BC$ .




Prove that triangle  $ALM$  and triangle  $MNC$  are congruent.  
You must give reasons for each stage of your proof.

- 3)  $ABC$  is an **equilateral** triangle.  
 $D$  lies on  $BC$ .  
 $AD$  is **perpendicular** to  $BC$ .
- Prove that triangle  $ADC$  is congruent to triangle  $ADB$ .








- Hence, prove that  $BD = \frac{1}{2}AB$

- 4)  $AOC$  and  $BOD$  are **diameters** of a circle, **centre**  $O$ .  
Prove that triangle  $ABD$  and triangle  $DCA$  are congruent



# Fluency Practice

State whether the following pairs of triangles are congruent or not. Give reasons for your answers. If there is not enough information to make a decision, explain why.









# Fluency Practice



**NOTE:** ALL DIAGRAMS **NOT** DRAWN TO SCALE.

\* means "may be challenging for some"

1. Which triangles are congruent? Give reasons.



2. Prove that the triangles ABC and DEF are congruent.




Diagrams not


drawn to scale

# Fluency Practice


3. Prove that the triangles PQR and STU are congruent.



4. PQRS is a parallelogram. The line drawn from P parallel to QS meets RS produced at T. Prove that  $TS = SR$ .




5. The triangle PQR is an isosceles triangle. PS is perpendicular to QR.  
 (a) Use congruent triangles to prove that  $SQ = SR$ .  
 (b) If  $PQ = 10\text{cm}$  and  $QR = 12\text{cm}$ , work out the area of the triangle PQR.




# Fluency Practice

6. PQRS is a rectangle.  
 M is the mid-point of PQ, N is the midpoint of QR,  
 T is the midpoint of PS and U is the midpoint of RS.



- (a) Prove that the triangles PMT and RUN are congruent.
- (b) Are the lines TM and UN equal? Why?
- (c) Is the triangle STU congruent to the triangle RNU? Give reasons
- (d) Are the lines TU and UN equal? Why?
- (e) What is the special name given to the quadrilateral MNUT?
- (f) If  $PQ = 8\text{cm}$  and  $PT = 6\text{cm}$ , what is the area of the quadrilateral MNUT?

7. ABCD is a kite, with  $AB = AD$  and  $BC = CD$ .
- (a) Prove that triangles ABC and ADC are congruent.  
 The line joining B to D meets the diagonal AC at E.
  - (b) Prove that triangles ABE and ADE are congruent.
  - (c) Make a geometrical statement about the point E.
  - (d) If  $BD = 6\text{cm}$  and  $AC = 12\text{cm}$ , work out the area of the kite ABCD.




## Fluency Practice

\*8. TA and TB are tangents to the circle, centre, O.

- (a) Use congruent triangles to prove that  $AT = BT$ .
- (b) Which angle is equal to angle AOT?
- (c) If angle  $AOT = 40^\circ$ , work out the size of angle OTB.
- (d) If the radius of the circle is 6cm and  $OT = 10\text{cm}$ , work out the area of the quadrilateral BOAT.

Diagram not  
drawn to scale




\*9. The diagram below shows a circle, centre, O.

AB is a chord of the circle. M is the midpoint of AB.

- (a) Use congruent triangles to prove that angle OMA is  $90^\circ$ .
- \*(b) If the radius of the circle is 13cm and  $AB = 24\text{cm}$ , work out the area of triangle OAB.

Diagram not  
drawn to scale




# Fluency Practice

10. PQRS is a rectangle. T and V are the midpoints of PS and QR respectively.

U and W are points on PQ and RS such that  $PU = SW$ .


- (a) Prove that triangles PUT and SWT are congruent.
- (b) Why is  $UQ = WR$ ?
- (c) Hence, or otherwise, prove that triangles QUV and RWV are congruent.
- (d) Hence, or otherwise, prove that triangles TUV and TWV are congruent.
- (e) What is the special name given to the quadrilateral TUVW?
- (f) If  $PQ = 12\text{cm}$  and  $QR = 6\text{cm}$ , what is the area of TUVW?
- (g) If  $TV = 20\text{cm}$  and  $UW = 8\text{cm}$ , what is area of TUVW?

Diagram not  
drawn to scale



11. PQRST is a regular pentagon.

List all the triangles that are congruent to triangle RTQ.



# Fluency Practice

12. PQRS is a square. M is the midpoint of PQ and N is the midpoint of PS.

(a) Use congruent triangles to prove that  $RM = QN$ .

\* (b) Given that  $PQ = 2a$ , where  $a$  is a positive integer,

use Pythagoras' Theorem to show that  $RM = a\sqrt{5} = QN$ .




Diagram not  
drawn to scale

13. PQRS and PTUV are squares attached to the two sides of a triangle.

Prove that: (a) the triangle PQT and PSV are congruent.

\*\* (b) QT is perpendicular to SV (that they meet at  $90^\circ$ ).




Diagram not  
drawn to scale

## Fluency Practice

### constructions and congruence in triangles

*three sides the same [SSS].*

(1) 9 cm, 8 cm and 5 cm.

(2) 11 cm, 6 cm and 4.5 cm.

Will everyone's triangles look the same?

Reasons?

*three angles the same [AAA].*

(3)  $45^\circ$ ,  $70^\circ$ ,  $65^\circ$ .

(4)  $80^\circ$ ,  $40^\circ$ ,  $70^\circ$ .

Will all the triangles that people have drawn be identical (be congruent)?

Reasons?

*two angles and an included side (between them) the same [ASA]*

(5)  $60^\circ$ , 9cm,  $40^\circ$ .

(6)  $100^\circ$ , 8cm,  $30^\circ$ .

Will all the triangles drawn be congruent?

Reasons?

*two sides and an angle [SAS] and [ASS]*

a triangle PQR with:

(7) PQ = 9cm, QR = 8cm, angle P =  $50^\circ$ .

(8) PQ = 9cm, PR = 11cm, angle P =  $50^\circ$ .

(9) PQ = 8cm, PR = 6cm, angle R =  $90^\circ$ .

(10) PQ = 10cm, PR = 7cm, angle P =  $50^\circ$ .


Will all the triangles drawn be congruent?

Reasons?


## 4 Circle Theorem Proofs

# Fluency Practice


Question 1: Prove that the angle in a semi-circle is always  $90^\circ$




Question 2: Prove that the angle at the centre is twice the angle at the circumference.




Question 3: Prove the angles in the same segment are equal.




Question 4: Prove the opposite angles in a cyclic quadrilateral add to  $180^\circ$



Question 5: Prove the angle between a tangent and the radius is  $90^\circ$



Question 6: Prove the alternate segment theorem; that the angle between the tangent and the chord at the point of contact is equal to the angle in the alternate segment.




# Fluency Practice


## circle theorems and proof

Give reasons for each stage of your working.


1. Prove that triangle  $AEB$  and triangle  $DEC$  are similar.




2. Point  $C$  lies on the arc of the semicircle. Prove that angle  $ACB$  is  $90^\circ$ .




3. Prove that angle  $DAB$  is equal to angle  $BCE$ .




4.  $AC$  and  $BC$  are tangents to the circle. Prove that length  $AC =$  length  $BC$ .



5.  $OX$  is perpendicular to the chord  $AB$ . Prove that  $Y$  is the midpoint of  $AB$ .




6. a) Prove that  $x = y$ .



- b) Jake says that  $x$  and  $y$  could both measure  $80^\circ$ . Is he right?

8. Prove that  $y = x + 90$ .



7. Prove that angle  $CBD =$  angle  $ACF$ .

